



Setla

www.setlagroup.com

Modern Smart Products



یه کپک له نیشانه کانی گه شهی هر نه ته وه یه ک، به ختی ئه و میلله ته بو
که لک وه رگرتن له باشتین ته کنولۆژیای جهانییه . نه ته وه یه کی بهرز و
سهرکه وتوو وه ک ئیرانییه ژیره کان شایه نی ئه وه ن که چیژ له
دهستکه وته جهانییه مۆدیرنه کان وه ر بگرن، به تایبته ئه وانیه که به
دهستی هاوولاتیانی خویان به رهه م ده هیئرین و باشت ده کرین.

مسته فا وه عیدی

دامه زینیه ری

گروپی پیشه سازی جهان ئارا


گروپی پیشه سازی جهان ئارا، وه کوو کۆمپلیکسیکی پیشه سازی له سه ر
بنه مای زانیاری، یه کپکه له گروپه ئابوورییه نوێ په کانه له سه ر سازکردنی
ئامیره پیشکه وتوووه کان که زیاتر له ۳۰ ساله سه رقالی تووژینه وه و چالاکییه
به ئامانجی دروستکردنی هه لی کاریکی به رده وام بو گه نجانی ئیران، له
بواره کانی ته کنولۆژیای بیناسازی مۆدیرن، و له ئیستادا ته رکیزی چالاکییه کانه
و به رهه مه کانی له بواره کانی بیناسازی، وزه، کیمیا و پۆلیمردا داناوه.



له باله خانهيهدا بهزوري سيستمى دانانى ميكانيكى و كارهبايى و ئهليكترونى وهك پروناكى و دهنك و ههواگوري و ئاسايش و پهردهى كارهبايى و كهرستهى چيشتخانه و ديكهى شتهكانى ههيه و بهكارهينانى دروستيان، جگه لهوهى برى بهكارهينانى وزه كهمدهكاتوهه، كهمكردنهوهى دابهزىنى بههاى بيناكه، بيناكه جوانتر دهكات و وا له دانىشتووان دهكات ههست به ئارامى زياتر بكهن. سى ئهركى بنهرهتى سيستمى كوئىپوتهرى ناوهندى بهرپوهبردنى بيناى مهژودار (بههوش) برىتين له:

- كوئىروللى
- بهرپوهبردنى
- باشكردن

ئوهوى كه ئامارهكانى سهندىكاي KNX نىشانى ددهن برى پاشهكهوتكردنى بهكارهينانى وزه بهپيى ئهم دياگرامهى خوارهوه نىشان دهكات:



كاركردهكانى سيستمى زيرك (به هوش)



هات و روپشت

- پاشهكهوتكردنى بهكارهينانى كارها
- سيناريوى دهرچوون له مال
- پاشهكهوتكردنى بهكارهينانى وزه به دهستنيشانكردنى بوونى كهسيك
- داگيرساندن و كوژاندنهوهى ههر ئامپريك كه بهستراوهتهوه به كوچهى كارهباوه
- ئهگهرى ديارىكردنى پشوووى فهرمى بو بهرپوهبهرايهتى و ريكخراوهكان



كات

- ئهگهرى كاتى رووداوهكان
- سيناريوى بهخهبر بوونوهه خهوتن
- هاوئاھهنگى لهگهڵ هاتووچووى دانىشتووان و كارمهندانى كوئىپانياهو.



ئاسايش و چاودىرى

- بهرگريكردن له دزهكان
- دلنيابوون له دوخى ئاماده بوونى خانووهكه
- چاودىرىكردنى دهرگا و پهنجيرهكان
- پهيوهنديكردن به ناوهنده ئهمنيهكان
- ناردنى ئاگاداركردنهوه بو موباييلهكان
- پهيوهندى تهلهفونى
- ئهگهرى ئاگاداركردنهوهى دزىكردن به بهكارهينانى پرؤسپى وينه



ئاودىرى له كشتوكالدا

- پيويست نهبوونى باخهوانان
- پاشهكهوتكردنى بهكارهينانى ئاو
- كوئىروللىكردنى ريگاكاني ئاودىرى و پههپ
- تواناى پلاندانان بو رۆژانه و باشكردنى بهكارهينانى ئاو
- ئهگهرى دامهزراندن له بيناى ئوفيس و نىشتهجىبوون و بازركانى

كاركرده كانى سيستمى زيرەك (به هوش)

Setla

بەرھەمى زيرەك
گروپى پيشەسازى جيهان ئارا

Modern Smart Products



خزمەتگوزارى ئىنتەرنېت

- بەكارھىننى خزمەتگوزارى كۆھودى ناخۆبى
- بەكارھىننى خزمەتگوزارى كۆھودى ناوچەبى
- دەستگەيشتن لە كۆمپيوتەر، تابلېت، مۇبايل و ديكە ...
- دەستراگەيشتن بە ئىنتەرنېت
- ناردنى ئىمەيل



پووناكى

- كۆنترۆلى سيستمى پووناكى
- كۆنترۆلى گروپى چراكان
- پىكخستنى ئۆتۆماتىكى پەردە
- پووناكى لەسەر بنەماي بوونى خەلك
- تواناي كالكردنەوہ لەسەر بنەماي ستانداردى ھەر ژینگەپەك
- پووناكى و كۆنترۆلى رەنگەكان بە پروگرامە جۇراوجۆرەكان



دەستگەيشتن

- ھەبوونى ئايفونى ويئە لە مۇبايل
- چوون بۇ نيوى بينا بە مۇبايل
- كۆنترۆلكردنى سيستمى ئاسايش بە بەكارھىننى ناسينەوہى پروخسار
- چاودىرى لەسەر ھاتووچووى نيو بينا
- ئالارمى ھاتووچووى بىن مؤلەت



ھەواگۆركى و پلەي گەرمى

- پىكخستنى پلەي گەرمى ئۆتۆماتىكى
- گونجاو بوون لەگەل كەش و ھەوا
- پىكخستنى پلەي گەرمى خوازراو و ئامادە بۇ كاركردن
- بەرپوہ بردنى گەراجى ناوہندى
- پىكخستنى پلەي گەرمى بە پشتبەستن بە پيشبىنى پلەي گەرمى
- كۆنترۆلكردنى سيستمى ھەواگۆرى لەسەر بنەماي بوونى خەلك



كەرەستەي مەتبەخ

- كۆنترۆلى كابو
- كۆنترۆلى فرنى ناوہكى
- كۆنترۆلى ئامپىرى جل شۆرى زيرەك
- قاوہ ساز و كۆنترۆلى كترى كارەبابى



وزە

- بەرزكردنەوہى ئاستى خۆش رابواردن
- كەلك بردن لە وزە سەوزەكان
- ژىرخانى تۆرى زيرەك (به هوش)
- پاشەكەوتكردنى وزە لەسەر بنەماي بوونى خەلك
- بەكارھىننى وزەي خۆر جگە لە سيستمى
- ھەلگرتنى وزە

مۆدیۆلى 6 ئىنچ (مۆنیتەر و كۆنترۆلكەرى ناوھندى) SA



Value	Information
Android 8.1, Tuya	Operation System
Modern Electric	Interface
PX30 Quad-core Cortex-A35, 1.5Ghz	CPU
2G	RAM
8G	Value of internal memory
-	Memory Card
-	SIM card
WIFI /Bluetooth /Zigbee	Wireless protocol
RS485 / Ethernet	Wired protocol
2	The number of internal relays
Landscape	Screen display mode
328g	Wight
0 ~ +40 C	Operating temperature
6 inch 800 * 480	Screen pixel
100-240 v AC 50/60 Hz	Supply



مۆدیۆلی ۴ ئینچ میوزیک پلهیهر

Value	Information
Android 8.1, Tuya	Operation System
Quad-core Cortex - 1.5G	CPU
1G	RAM
8G - 32 G	Value of internal memory
OK	AUX Input
OK	Memory Card
OK	Infrared remote control
WIFI /Bluetooth	Wireless protocol
RS485 / Ethernet	Wired protocol
2	Speaker output
210g	Wight
86 * 86 * 36 mm	Dimensions (mm)
0 ~ +40 C	Operating temperature
AC 220V (50HZ), 90 V - 250 V	Supply
4 inch 480 * 480 Multi - Touch	LCD size



with Remote
Control




مۆدېئولى ۱/۵ ئىنچ مېوزىك پلەيەر

Value	Information
OK	AUX Input
OK	Memory Card
-	Infrared remote control
Bluetooth	Wireless protocol
RS485	Wired protocol
2	Speaker output
86 * 86 * 36 mm	Dimensions (mm)
AC 220V (50HZ), 90 V – 250 V	Supply
1.5 inch - mono	LCD size



Output
2x10w



BMS
connection
support

دوگمهی پالنائی Modbus

6 کلیلی جیاواز

Setla

بهره‌رهنه می زیرهک
گروپی پیشه‌سازی جیهان نارا

Value	Information
Without Relay (The need for a panel relay)	Number of output Relay
6 Switches	The Number of input switches
WIFI, Zigbee	Wireless protocol
86 * 86 * 36 mm	Dimensions (mm)
-10 C ~ 55 C	Temperature adjustment range
220 V	Supply
Aluminum	Body Material



Modern Smart Products

گهرمکه‌روهه Modbus

Value	Information
Without Relay (The need for a panel relay)	Number of output Relay
Slow, Medium, Fast	1 switch (4 modes)
Automatic & Manual	1 switch
Summer & Winter	1 switch (2 modes)
ON / OFF	1 switch
Clockwise & counterclockwise	1 Rotary key
RS485	Wired protocol
86 * 86 * 36	Dimensions (mm)
-10 C ~ 55 C	Operating temperature
NTC sensor	Temperature sensor
16 ~30 C, Temperature Control Accuracy: 0.1 C	Temperature adjustment range
1.5 inch	LCD size
12 V	Supply
Aluminum	Body Material



One house One brand

WWW.SETLAGROUP.COM | 07

کلیلی تاج له ۱ بؤ ۶ خال

Value	Information
(1 or 2 or 3 relay)	Number of output Relay
1 to 6	The Number of input switches
WIFI / Zigbee / Modbus	Wireless protocol
86 * 86 * 36 mm	Dimensions (mm)
→ 80%	Operating Humidity
0 ~ 40 C	Temperature adjustment range
100-220 V AC 50-60 HZ	Supply
Glass with 2 mm thick	Body Material



سوچلی تاج Zigbee

Value	Information
3 relays	Number of output Relay
3 switches	The Number of input switches
WIFI / Zigbee	Wireless protocol
86 * 86 * 36 mm	Dimensions (mm)
→ 80%	Operating Humidity
0 ~ 40 C	Temperature adjustment range
100-220 V AC 50-60 HZ	Supply
Glass with 2 mm thick	Body Material



خوینهری کارتیه هؤتیل

Value	Information
RS485	Wired protocol
86 * 86 mm	Dimensions (mm)
12-24 V	Supply
Glass with 4 mm thick	Body Material
30 A	Maximum Current



Setla

بهره می زیرهک
گروپی پیشهسازی جیهان نارا

Modern Smart Products

گهرمه رهوهی کاره بایی مؤدیرن

Modbus

Value	Information
3 internal relays	Number of output Relay
Slow, Medium, Fast, Automatic	1 switch (4 modes)
High & Low	2 switches
Summer & Winter	1 switch (2 modes)
ON / OFF	1 switch
Clockwise & counterclockwise	1 Rotary key
RS485	Wired protocol
86 * 86 * 36	Dimensions (mm)
-10 C ~ 55 C	Operating temperature
NTC sensor	Temperature sensor
15 ~35 C, Temperature Control Accuracy: 0.1 C	Temperature adjustment range
7segment	LCD size
12 V or 220 V	Supply
Glass with 2 mm thick	Body Material



تاچ پانیلی هؤتیل

Value	Information
RS485	Wired protocol
140 * 225 mm	Dimensions (mm)
12 V	Supply
Glass with 4 mm thick	Body Material



One house One brand

WWW.SETLAGROUP.COM | 09

بروانامه و ستاندردی بهره‌مکانی گروپ

CERTIFICATE

No. 61603
MPJ

is herewith declared



www.knx.org

PARTNER
KNX

KNX Association hereby confirms that the above person has successfully attended the KNX Basic course.

With this certificate authorisation is granted to use the "KNX Partner" logo in compliance with the terms agreed upon.

EN 50090 CERT

KNX Association
Brussels, date
20/05/2016

Please verify authenticity of this certificate via consulting the KNX Web pages.

KNX The worldwide STANDARD for home and building control

VERIFICATION OF CONFORMITY

No.: ICR/VC/KS230610

Name and address of Applicant: SIMA CABLE NAGHSHE JAHAN
No.342, 2nd Zakaria street, Morche Khort industrial zone, Isfahan, Iran

Name and address of manufacturer: SIMA CABLE NAGHSHE JAHAN
No.342, 2nd Zakaria street, Morche Khort industrial zone, Isfahan, Iran

Product name: Light Touch Switch

Product types: -

Product trademark: MPJ

Verification was carried within following scope:

Information on the Declaration of Conformity:

Result:	Legislation:	Standard:
✓ LVD	EN 60669-1:2018	EN 60669-2-1:2004+A12:2019

The assessment process has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report: 220901618SHA-001

Tests conducted by: MPJ LAB

Issue date: 19.06.2023


Expiration date: 18.06.2028

Remarks:

- VOC was issued on voluntary basis and does not imply meeting all essential requirements listed in Declaration of Conformity.

ICR Co. Ltd.
www.icra.com
www.icropolska.com
cert@icra.com

CEO, ICR Co., Ltd.



Edison 5.1.8 of 01.03.2023

VERIFICATION OF CONFORMITY

No.: ICR/VC/KS230612

Name and address of Applicant: SIMA CABLE NAGHSHE JAHAN
No.342, 2nd Zakaria street, Morche Khort industrial zone, Isfahan, Iran

Name and address of manufacturer: SIMA CABLE NAGHSHE JAHAN
No.342, 2nd Zakaria street, Morche Khort industrial zone, Isfahan, Iran

Product name: Multi function Touch Screen

Product types: -

Product trademark: MPJ

Verification was carried within following scope:

Information on the Declaration of Conformity:

Result:	Legislation:	Standard:
✓ LVD	EN 62368-1:2014	EN 62368-2:2014
✓ EMC	EN 61000-3-2:2014	EN 61000-3-3:2013

The assessment process has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report: DG1210804-32577E-SF_2005002477WN-001

Tests conducted by: MPJ LAB

Issue date: 19.06.2023


Expiration date: 18.06.2028

Remarks:

- VOC was issued on voluntary basis and does not imply meeting all essential requirements listed in Declaration of Conformity.

ICR Co. Ltd.
www.icra.com
www.icropolska.com
cert@icra.com

CEO, ICR Co., Ltd.



Edison 5.1.8 of 01.03.2023

VERIFICATION OF CONFORMITY

No.: ICR/VC/KS230614

Name and address of Applicant: SIMA CABLE NAGHSHE JAHAN
No.342, 2nd Zakaria street, Morche Khort industrial zone, Isfahan, Iran

Name and address of manufacturer: SIMA CABLE NAGHSHE JAHAN
No.342, 2nd Zakaria street, Morche Khort industrial zone, Isfahan, Iran

Product name: Home Thermostat

Product types: -

Product trademark: MPJ

Verification was carried within following scope:

Information on the Declaration of Conformity:

Result:	Legislation:	Standard:
✓ LVD	EN 60730-1:2011	EN 60730-2-9:2010

The assessment process has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report: CN224318 001

Tests conducted by: MPJ LAB

Issue date: 19.06.2023


Expiration date: 18.06.2028

Remarks:


- VOC was issued on voluntary basis and does not imply meeting all essential requirements listed in Declaration of Conformity.

ICR Co. Ltd.
www.icra.com
www.icropolska.com
cert@icra.com

CEO, ICR Co., Ltd.



Edison 5.1.8 of 01.03.2023



www.setlagroup.com

Sales@setlagroup.com

دهولپير/شه قامی ۰۴مه تری/فلکه ی حی شرطه

07507321111

07705001111

07803081111